

**1. Identification**

<b>Product identifier</b>	<b>Nuvan ProStrip+</b>	
<b>Other means of identification</b>		
<b>SDS number</b>	194	
<b>Product registration number</b>	5481-554	
<b>Synonyms</b>	No-Pest Strip * Insect Strip * Pest Strip * Pro-Strip	
<b>Recommended use</b>	Insecticide	
<b>Recommended restrictions</b>	This is a Restricted Use Pesticide and is for use by licensed applicators only. Keep out of the Reach of Children!	
<b>EPA Registration number</b>	EPA: 5481-554	
<b>Manufacturer/Importer/Supplier/Distributor information</b>		
<b>Company Name</b>	AMVAC Chemical Corporation	
<b>Address</b>	4695 MacArthur Court Suite 1200 Newport Beach, CA 92660 United States	
<b>Telephone</b>		
<b>AMVAC Chemical Corp</b>	949-260-1200	
<b>AMVAC Chemical Corp</b>	949-260-6270(FAX)	
<b>Product Use</b>	888-462-6822	
<b>Website</b>	www.amvac.com	
<b>E-mail</b>	CustServ@amvac.com	
<b>Emergency phone number</b>		
<b>Medical</b>	888-681-4261	
<b>CHEMTREC® (USA+Canada)</b>	800-424-9300	
<b>CHEMTREC® (Outside USA)</b>	+1-703-527-3887	

**2. Hazard(s) identification**

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
<b>OSHA defined hazards</b>	Not classified.	

**Label elements**



**Signal word**

Warning

<b>Hazard statement</b>	Harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Avoid release to the environment. Contaminated work clothing must not be allowed out of the workplace. Wash thoroughly after handling.
<b>Response</b>	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Collect spillage.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dichlorvos (DDVP)	Dimethyl 2,2-dichlorovinylphosphate	62-73-7	18.6 - < 20

**Composition comments** All concentrations are in percent by weight.

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison center or doctor/physician for further treatment advice.
<b>Skin contact</b>	Remove contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center for treatment advice.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a physician or poison control center for treatment advice.
<b>Ingestion</b>	Call a physician or poison control center immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting without advice from poison control center. Do not give anything by mouth to an unconscious person.

**Most important symptoms/effects, acute and delayed**

This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin.

**Indication of immediate medical attention and special treatment needed**

Treat symptomatically. Note to physicians:  
This product contains an Organophosphate (OP) Insecticide. However, it is the opinion of the manufacturer/supplier, and their Occupational medical consultant, that any significant exposure to this OP insecticide is highly unlikely. Based upon the formulation of the pest strip the individual's contact with the OP is extremely limited by design. Therefore the examining physician should exercise prudent judgment in determining the causation of the patient's symptoms - taking care to not overlook multiple other etiologies of the patient's symptoms. Contact a local or national poison control center for more information. If it is established that OP poisoning has occurred, the following steps are recommended. Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

**General information**

If exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

**5. Fire-fighting measures**

**Suitable extinguishing media**

Water spray. Foam. Powder. Carbon dioxide (CO2).

**Unsuitable extinguishing media**

None known.

**Specific hazards arising from the chemical**

Hydrogen chloride, carbon oxides and unidentified organic compounds may be formed when it is heated excessively or burned.

**Special protective equipment and precautions for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions**

Evacuate area. Use water spray to cool unopened containers. Water runoff can cause environmental damage. Dike and collect extinguishing water.

**Specific methods**

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards**

No unusual fire or explosion hazards noted.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up**

Pick up strips for reuse or disposal. Wash thoroughly with soap and water after handling the strip. For waste disposal, see section 13 of the SDS.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Use personal protective equipment as required. Wash hands thoroughly after handling. Read label before use.

### Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store in original sealed package until use.

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Dichlorvos (DDVP) (CAS 62-73-7)	PEL	1 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value	Form
Dichlorvos (DDVP) (CAS 62-73-7)	TWA	0.1 mg/m <sup>3</sup>	Inhalable fraction and vapor.

#### NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components	Type	Value
Dichlorvos (DDVP) (CAS 62-73-7)	IDLH	100 mg/m <sup>3</sup>

#### US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Components	Type	Value
Dichlorvos (DDVP) (CAS 62-73-7)	TWA	1 mg/m <sup>3</sup>

### Biological limit values

#### ACGIH Biological Exposure Indices (BEI)

Components	Value	Determinant	Specimen	Sampling Time
Dichlorvos (DDVP) (CAS 62-73-7)	70 %	Acetylcholinest erase activity	Reduction from individual baseline activity in red blood cells	*
	60 %	Butyrylcholines terase activity	Serum or Plasma	*

\* - For sampling details, please see the source document.

### Exposure guidelines

#### US ACGIH Threshold Limit Values: Skin designation

Dichlorvos (DDVP) (CAS 62-73-7) Danger of cutaneous absorption

#### US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Dichlorvos (DDVP) (CAS 62-73-7) Can be absorbed through the skin.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Dichlorvos (DDVP) (CAS 62-73-7) Can be absorbed through the skin.

### Appropriate engineering controls

Provide eyewash station and safety shower. Applicable for industrial settings only: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If contact is likely, safety glasses with side shields are recommended.

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Nitrile, butyl rubber or neoprene gloves are recommended.

**Other** Long-sleeved shirt and long pants or coveralls, socks and closed toe shoes are required.

**Respiratory protection** No personal respiratory protective equipment normally required.

<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Solid.
<b>Form</b>	Rectangular plastic strip.
<b>Color</b>	Yellow or Blue
<b>Odor</b>	Mild chemical odor.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	-76 °F (-60 °C) estimated
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	10 - 100 mg/day of DDVP
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	1.00E-02 mm Hg (DDVP)
<b>Vapor density</b>	Heavier than air
<b>Relative density</b>	1.26
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible
<b>Solubility (other)</b>	This product is softened in aromatic and chlorinated solvents.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	The data presented in this section are typical values and should not be construed as a specification.
<b>Density</b>	69 lb/ft <sup>3</sup>
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Percent volatile</b>	18.6 % v/v

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong acids. Strong bases. Oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Harmful if inhaled.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction.

<b>Eye contact</b>	Causes eye irritation.
<b>Ingestion</b>	Harmful if swallowed.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	<p>This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia.</p> <p>Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin.</p> <p>Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.</p>

**Information on toxicological effects**

**Acute toxicity** Harmful if swallowed. Harmful if inhaled.

<b>Product</b>	<b>Species</b>	<b>Test Results</b>
Nuvan ProStrip+		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	27400 mg/kg (intact abdominal skin)
<b>Oral</b>		
LD50	female rat	382 mg/kg
	male rat	679 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

**Irritation Corrosion - Skin**

Result: Irritant  
Species: Rabbit

**Serious eye damage/eye irritation** Causes eye irritation.

**Eye**

Result: Irritant  
Species: Rabbit

**Respiratory or skin sensitization**

**ACGIH sensitization**

Dichlorvos (DDVP), inhalable fraction and vapor      Dermal sensitization  
(CAS 62-73-7)

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Sensitization**

Result: Possible sensitizer  
Species: Guinea pig

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Dichlorvos (DDVP) (CAS 62-73-7)      2B Possibly carcinogenic to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not likely, due to the form of the product.

**Chronic effects**

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**12. Ecological information****Ecotoxicity**

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water when disposing of equipment washwaters or wastes.

Components	Species	Test Results
Dichlorvos (DDVP) (CAS 62-73-7)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50	Water flea ( <i>Daphnia pulex</i> )
		>= 0 - <= 0.0001 mg/l, 48 hours
Fish	LC50	Cutthroat trout ( <i>Oncorhynchus clarki</i> )
		>= 0.141 - <= 0.321 mg/l, 96 hours

**Persistence and degradability**

No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential****Partition coefficient n-octanol / water (log Kow)**

Dichlorvos (DDVP) 1.43

**Mobility in soil**

No data available.

**Other adverse effects**

None known.

**13. Disposal considerations****Disposal instructions**

Dispose of product and packaging in the trash. Wrap the strip in paper and place in a sealed plastic bag before putting it in the trash. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**

Dispose in accordance with all applicable regulations.

**Hazardous waste code**

Not applicable.

**Waste from residues / unused products**

Dispose of in accordance with all applicable regulations. Unused products can typically be disposed in the trash.

**Contaminated packaging**

As a household waste, the spent strip should be wrapped in paper, placed in a sealed plastic bag, and put into the trash. If large numbers of strips are to be discarded the local authorities or the EPA should be contacted to find out the current regulations. The empty package can be placed in the trash.

**14. Transport information****DOT**

<b>UN number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substances, solid, n.o.s. (Dichlorvos RQ = 10 lb), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33
<b>Packaging exceptions</b>	155
<b>Packaging non bulk</b>	213
<b>Packaging bulk</b>	240

**IATA**

<b>UN number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s. (Dichlorvos)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>ERG Code</b>	9L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.

**Cargo aircraft only** Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling.

**IMDG**

**UN number** UN3077  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dichlorvos), MARINE POLLUTANT

**Transport hazard class(es)**

**Class** 9

**Subsidiary risk** -

**Packing group** III

**Environmental hazards**


**Marine pollutant** Yes

**EmS** F-A, S-F


**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**DOT; IATA; IMDG**



**Marine pollutant**



**General information**

DOT Regulated Severe Marine Pollutant. IMDG Regulated Marine Pollutant.

This product is not regulated when shipped by highway or rail in non-bulk packaging (maximum capacity of 22.7 kg (50 lb) or less). When shipped by air, vessel or in bulk packaging this product is regulated according to the data shown.



## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

#### WARNING

May be fatal if swallowed. Do not get in mouth. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing vapors. Avoid contact with eyes or clothing. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### Toxic Substances Control Act (TSCA)

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Dichlorvos (DDVP) (CAS 62-73-7) Listed.

#### SARA 304 Emergency release notification

Phosphoric acid, 2-dichloroethenyl dimethyl ester; 10 LBS  
Dichlorvos (CAS 62-73-7)

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Dichlorvos (DDVP)	62-73-7	10	1000		

#### SARA 311/312 Hazardous chemical

Yes

#### Classified hazard categories

Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitization  
Carcinogenicity

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Dichlorvos (DDVP)	62-73-7	18.6 - < 20

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Dichlorvos (DDVP) (CAS 62-73-7)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### Safe Drinking Water Act (SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

### US state regulations

#### California Proposition 65



**WARNING:** This product can expose you to Dichlorvos (DDVP), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Dichlorvos (DDVP) (CAS 62-73-7)

Listed: January 1, 1989

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision****Issue date** Apr-10-2018**Revision date** Aug-23-2023**Version #** 3.1**HMIS® ratings** Health: 2\*  
Flammability: 1  
Physical hazard: 0**NFPA ratings** Health: 2  
Flammability: 1  
Instability: 0**Disclaimer**

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2023 AMVAC Chemical Corporation. AMVAC and the AMVAC logo are trademarks owned by AMVAC Chemical Corporation. All rights reserved.

Nuvan is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

**Revision information**

This document has undergone significant changes and should be reviewed in its entirety.